



Elegantly Crafted Aluminium Railing Systems



ABOUT US

Molto is India's leading name in premium railing systems, dedicated to blending safety with sophisticated design. Built on a foundation of precision engineering and refined aesthetics, we craft railing solutions that elevate modern architecture. From luxurious homes to high-end commercial spaces, every Molto product reflects our commitment to durability, detail, and design excellence. With innovation at our core and trust as our legacy—Molto is truly **crafted to suit your loyalty.**

VISION


At Molto, we envision a world where railings are not just structural elements, but refined design statements—seamlessly blending safety, sophistication, and modern aesthetics.

Our vision is to elevate every space with railings that reflect taste, precision, and purpose. By placing our customers at the heart of our innovation, we craft solutions that cater to diverse architectural visions—without compromising on quality or elegance.

This commitment to design excellence and user-focused detailing is the cornerstone of our journey—and the quiet strength behind Molto's growing legacy.



MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED SIDE
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 01



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 02



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH SIDE CAP SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	65MM/PCS

Details

MORL 02B



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 03



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 04



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	65MM/PCS

Details

MORL 05



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



 MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT


Details

MORL 06

-  **Easy Installation**
-  **Maintenance Free**
-  **Easy Cleaning**
-  **100% Recyclable**
-  **Weather Proof**
-  **Corrosion Resistance**



 MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 08

-  **Easy Installation**
-  **Maintenance Free**
-  **Easy Cleaning**
-  **100% Recyclable**
-  **Weather Proof**
-  **Corrosion Resistance**



 MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 09



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 10



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 11



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	BRACKET WITH SIDE CAP SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	12MM 19MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	70MM/PCS

Details

MORL 11B



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance




Attributes	Details
Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

MORL 12

- Easy Installation
- Maintenance Free
- Easy Cleaning
- 100% Recyclable
- Weather Proof
- Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 13



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 14



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 15



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 16



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH SIDE CAP
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	65MM/PCS

Details

MORL 16B



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 17



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED SIDE
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 18



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	900MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	57MM/PCS

Details

MORL 19



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	50MM/PCS

Details

MORL 20



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	65MM/PCS

Details

MORL 21



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 22



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 23



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	60MM/PCS

Details

MORL 24



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



 MOLTO™



Attributes

Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 25



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT

Details

MORL 26



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	25.5MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT

Details

MORL 27



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	900MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 28



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	1100MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT

Details

MORL 29



Easy Installation



Maintenance Free



Easy Cleaning





100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	900MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 30



Easy Installation



Maintenance Free



Easy Cleaning




100% Recyclable



Weather Proof



Corrosion Resistance



MOLTO™

Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP CONCEALED
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT 16FT

Details

MORL 31



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	BRACKET WITH COVER SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	60MM/PCS

Details

MORL 32



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable




Weather Proof



Corrosion Resistance



MOLTO™



Attributes

Type	CONTINUOUS PROFILE SYSTEM
Use	INDOOR & OUTDOOR
Mount	TOP
Material	ALUMINIUM ALLOY 6063-T6
Glass Height	970MM (MAX)
Glass Thickness	12MM
Finish	ANODIZED POWDER COAT WOOD COAT
Length	12FT

Details

MORL 33



Easy Installation



Maintenance Free



Easy Cleaning



100% Recyclable



Weather Proof








Corrosion Resistance

Handrail & Accessories








OPHR-01 (50X50mm Square Light)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








OPHR-02 (40X40mm Square)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








OPHR-03 (25X25mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








OPHR-04 (50mm Round)






				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

Handrail & Accessories








				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP






				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP




				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP









				
HAND RAIL	WALL CONCEALED	END CAP		

Handrail & Accessories









OPHR-09 (82X38mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP









OPHR-10 (50X50mm Heavy)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








OPHR-11 (42mm Round)


				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








OPHR-12 (71X35mm)


				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

Handrail & Accessories









OPHR-13 (71x35mm LED Diffuser)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP







OPHR-14 (21X22mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP





OPHR-15 (19X18mm)

				
HAND RAIL	WALL CONCEALED	END CAP		








OPHR-16 (17mm)






				
HAND RAIL	END CAP			

Handrail & Accessories








				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP






				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR		



605, Runway Heights,
Ayodhya Chowk, 150 ft Ring Road,
Rajkot(Gujarat) **India**

187 featherston street,
Wellington, **New Zealand**

Wanerro Road, Darch 6065,
Perth, **Western Australia**

For Inquiry (India) : +91 96896 23823 | **Mail :** sales@molto.co.in

Also Available in all Major cities of India via our Molto Family.

www.molto.co.in